ELSEVIER

Volume 74C, December 2011

Environmental and Experimental Botany

www.elsevier.com/locate/envexpbot

CONTENTS

INDEXED/ABSTRACTED IN: *Biological & Agricultural Index, BIOSIS Database, Current Contents, Elsevier BIOBASE/Current Awareness in Biological Sciences, EMBiology, Environmental Periodicals Bibliog, GEOBASE, INSPEC, PASCAL/CNRS Database, Science Citation Index. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.*

Reviews on Environmental Issues in Plant

Combined effects of nitrogen deposition and water stress on growth and physiological responses of two annual desert plants in northwestern China
X. Zhou (Urumqi, China and Beijing, China), Y. Zhang (Urumqi, China), X. Ji (Urumqi, China and Beijing, China), A. Downing (Australia) and M. Serpe (Boise, ID, USA) 1

Sensitivity of flowering plant gametophytes to temperature fluctuations
A. Hedhly (Algarrobo-Costa Málaga, Spain) 9

Research Papers

Cactus surface temperatures are impacted by seasonality, spines and height on plant
T.D. Drezner (Toronto, Canada) 17

Response to heat stress of populations of two *Sphagnum* species from alpine bogs at different altitudes
R. Gerdol and R. Vicentini (Ferrara, Italy) 22

Apoplastic pH and growth in expanding leaves of *Vicia faba* under salinity
B. Pitann, T. Kranz (Giessen, Germany), C. Zörb (Kiel, Germany), A. Walter, U. Schurr (Jülich, Germany) and K.H. Mühling (Kiel, Germany) 31

Dual role of nitric oxide in *Solanum* spp.–*Oidium neolycopersici* interactions
J. Piterková, J. Hofman, B. Mieslerová, M. Sedlářová, L. Luhová, A. Lebeda and M. Petřivalský (Olomouc-Holice, Czech Republic) 37

Humic substances affect *Arabidopsis* physiology by altering the expression of genes involved in primary metabolism, growth and development
S. Trevisan, A. Botton, S. Vaccaro, A. Vezzaro, S. Quaggiotti and S. Nardi (Legnaro, Italy) 45

Distribution and speciation of chromium accumulated in *Gynura pseudochina* (L.) DC.
B. Mongkhonsin, W. Nakbanpote (Mahasarakham, Thailand), I. Nakai, A. Hokura (Tokyo, Japan) and N. Jearanaikoon (Muang Nakhon Ratchasima, Thailand) 56

The constitutive phenolic composition of two *Malus* × *domestica* genotypes is not responsible for their contrasted susceptibilities to fire blight
T.D. de Bernonville, M. Gaucher (Angers, France), S. Guyot (Rennes, France), C.-E. Durel, J.F. Dat and M.-N. Brisset (Angers, France) 65

Involvement of antioxidant capacity in quinclorac tolerance in *Eleusine indica*
Y. Sunohara, S. Shirai, H. Yamazaki and H. Matsumoto (Tsukuba, Japan) 74

Adaptation of contrasting cocksfoot plant types to agricultural environments across the Mediterranean basin
P. Annicchiarico, L. Pecetti (Lodi, Italy), H. Bouzerzour (Sétif, Algeria), R. Kallida (Rabat, Morocco), A. Khedim (Alger, Algeria), C. Porqueddu (Sassari, Italy), N.M. Simões (Elvas, Portugal), F. Volaire and F. Lelièvre (Montpellier, France) 82

(Contents continued on page 302)

Information about *Environmental and Experimental Botany* is available on the World Wide Web at the following URL address: http://www.elsevier.com/locate/envexpbot

This Home Page gives access to: the journal's Table of Contents service and ordering information and also enables users to search the WWW catalogue and Tables of Contents service (ESTOC) covering all Elsevier journals.

0098-8472(201112)74:C;1-R

Available online at www.sciencedirect.com

SciVerse ScienceDirect

(*Contents continued from outside back cover*)

Selenium accumulation in the floral tissues of two Brassicaceae species and its impact on floral traits and plant performance
K.R. Hladun, D.R. Parker and J.T. Trumble (Riverside, CA, USA) 90
Assessing the adaptability of the actinorhizal symbiosis in the face of environmental change
P.-A. Bélanger, C. Bissonnette, A. Bernèche-D'Amours (Sherbrooke, Canada), J.-P. Bellenger (Princeton, NJ, USA and Sherbrooke, Canada) and S. Roy (Sherbrooke, Canada) 98
Overexpression of the *betaine aldehyde dehydrogenase* gene from *Atriplex hortensis* enhances salt tolerance in the transgenic trifoliate orange (*Poncirus trifoliata* L. Raf.)
X.-Z. Fu, E.U. Khan, S.-S. Hu, Q.-J. Fan and J.-H. Liu (Wuhan, China) 106
Aluminum-stress response in oat genotypes with monogenic tolerance
G. Castilhos (Porto Alegre, Brazil), J.G. Farias (Santa Maria, Brazil), A. de Bernardi Schneider, P.H. de Oliveira (Porto Alegre, Brazil), F.T. Nicoloso, M.R. Chitolina Schetinger (Santa Maria, Brazil) and C.A. Delatorre (Porto Alegre, Brazil) 114
Characteristics of chromium(III) uptake in hyperaccumulator *Leersia hexandra* Swartz
J. Liu (Guilin, China and Kunming, China), C.-Q. Duan (Kunming, China), X.-H. Zhang, Y.-N. Zhu and C. Hu (Guilin, China) 122
Influence of rhizospheric microbial inoculation and tolerant plant species on the rhizoremediation of lindane
P.C. Abhilash, S. Srivastava, P. Srivastava, B. Singh, A. Jafri and N. Singh (Lucknow, India) 127
Influence of exposure solution composition and of plant cadmium content on root cadmium short-term uptake
T. Sterckeman, T. Redjala and J.L. Morel (Nancy, France) 131
Evaluation of the adverse effects of two commonly used fertilizers, DAP and urea, on motility and orientation of the green flagellate *Euglena gracilis*
A. Azizullah, A. Nasir, P. Richter, M. Lebert (Erlangen, Germany) and D.-P. Häder (Möhrendorf, Germany) 140
Effects of enhanced UV-B radiation on growth and photosynthetic responses of four species of seedlings in subalpine forests of the eastern Tibet plateau
Q. Liu (Chengdu, People's Republic of China), X. Yao (Chengdu, People's Republic of China and Baoding, People's Republic of China), C. Zhao and X. Cheng (Chengdu, People's Republic of China) 151
Effect of air traffic pollution on seed quality characteristics of *Pinus brutia*
P. Ganatsas, M. Tsakaldimi and G. Zachariadis (Thessaloniki, Greece) 157
High temperature positively modulates oxidative protection in salt-stressed cashew plants
S.L. Ferreira-Silva (Fortaleza, Brazil), E.L. Voigt (Natal, Brazil), E.N. Silva (Fortaleza, Brazil), J.M. Maia (Natal, Brazil), A. de V. Fontenele and J.A.G. Silveira (Fortaleza, Brazil) 162
The effect of zinc stress combined with high irradiance stress on membrane damage and antioxidative response in bean seedlings
P.I. Michael and M. Krishnaswamy (Madurai, India) 171
Harvesting fruit of equivalent chronological age and fruit position shows individual effects of UV radiation on aspects of the strawberry ripening process
E. Tsormpatsidis, M. Ordidge (Reading, UK), R.G.C. Henbest (Cleveland, UK), A. Wagstaffe, N.H. Battey and P. Hadley (Reading, UK) 178
Sequestration at the cell wall and plasma membrane facilitates zinc tolerance in the moss *Pohlia drummondii*
I. Lang and S. Wernitznig (Vienna, Austria) 186
Characterization of the main lipid components of chloroplast membranes and cold induced changes in *Coffea* spp.
F.L. Partelli (São Mateus, Brazil and Oeiras, Portugal), P. Batista-Santos, P. Scotti-Campos, I.P. Pais, V.L. Quartin (Oeiras, Portugal), H.D. Vieira (Campos dos Goytacazes, Brazil) and J.C. Ramalho (Oeiras, Portugal) 194
Stem surface injuries of 20 species of succulent *Euphorbia* (Euphorbiacae) from South Africa
L.S. Evans and N. Abela (New York, NY, USA) 205
Identification of defence metabolites in tomato plants infected by the bacterial pathogen *Pseudomonas syringae*
M.P. López-Gresa, C. Torres, L. Campos, P. Lisón, I. Rodrigo, J.M. Bellés and V. Conejero (Valencia, Spain) 216
Water sourcing by trees in a mesic savanna: Responses to severing deep and shallow roots
R.J.T. Verweij (Rondebosch, South Africa), S.I. Higgins (Frankfurt, Germany), W.J. Bond and E.C. February (Rondebosch, South Africa) 229
Nitrogen utilization by sulfur-deficient barley plants depends on the nitrogen form
F.D. De Bona (Stuttgart, Germany and Piracicaba, Brazil), D. Fedoseyenko, N. von Wirén (Stuttgart, Germany and Gatersleben and Germany) and F.A. Monteiro (Piracicaba, Brazil) 237
Respiratory activity, energy and redox status in sulphur-deficient bean plants
I.M. Juszczuk and M. Ostaszewska (Warsaw, Poland) 245
CgDREBa transgenic chrysanthemum confers drought and salinity tolerance
S. Chen, X. Cui, Y. Chen, C. Gu, H. Miao, H. Gao, F. Chen, Z. Liu, Z. Guan and W. Fang (Nanjing, China) 255
Effects on both the roots and shoots of soybean during dark chilling determine the nature and extent of photosynthesis inhibition
A.J. Strauss (Potchefstroom, South Africa) and P.D.R. van Heerden (Potchefstroom, South Africa and Mount Edgecombe, South Africa) 261
Fine root growth of *Quercus pubescens* seedlings after drought stress and fire disturbance
A. Di Iorio (Varese, Italy), A. Montagnoli (Como, Italy), G.S. Scippa (Pesche, Italy) and D. Chiatante (Varese, Italy) 272
Ultraviolet-B-induced DNA damage and photorepair in the cyanobacterium *Anabaena variabilis* PCC 7937
R.P. Rastogi (Varanasi, India), S.P. Singh, D.-P. Häder (Erlangen, Germany) and R.P. Sinha (Varanasi, India) 280
Heavy metal uptake and stress responses of hydroponically cultivated garlic (*Allium sativum* L.)
P. Soudek, Š. Petrová and T. Vaněk (Prague, Czech Republic) 289
Maximum values of Ni^{2+}, Cu^{2+}, Pb^{2+} and Zn^{2+} in the biomonitor *Tillandsia capillaris* (Bromeliaceae): Relationship with cell membrane damage
E.D. Wannaz, H.A. Carreras, G.A. Abril and M.L. Pignata (Córdoba, Argentina) 296